


sorghums (grain)

sample costs

and

production



Agricultural Extension Service

University of California

Imperial County

Court House, El Centro

Cost Data Sheet No. 8

UC Cooperative Extension

SORGHUMS (GRAIN)--SAMPLE PRODUCTION COSTS

Mechanical operations at custom rates. Hand labor at \$1.90 per hour (\$1.50 plus Social Security, unemployment insurance, and fringe benefits).

Yield = 2.5 tons per acre.

OPERATION	Custom	MATERIALS		HAND LABOR		SAMPLE COSTS
	Rate	Type	Cost	Hours	Dollars	Per Acre
LAND PREPARATION						
Disc 2x	2.00					4.00
Fertilize	1.00	200 lbs N (NH ₃)	12.00			13.00
Float 2x	1.00					2.00
List	3.00					3.00
TOTAL LAND PREPARATION						22.00
GROWING PERIOD						
Planting	3.00	15 lbs. seed	3.45			6.45
Herbicides	2.00		4.50			6.50
Irrigation 10x		-water (5 ac ft)	11.50	5.2	10.00	21.50
TOTAL GROWING PERIOD						34.45
HARVESTING COSTS						
Combine	7.00	per acre plus .10 cwt over 1 ton				10.00
Hauling	2.00	ton				5.00
TOTAL HARVEST						15.00
Land rent (1/2 year)						25.00
Cash overhead 15% of above						14.31
TOTAL ALL COSTS						\$110.76

Cost per ton = 4.30

GENERAL INFORMATION

The average yields for sorghum during the last 5 years have ranged from 2.0 to 2.5 tons per acre with a selling price of \$46.00 to \$48.00 per ton.

LAND PREPARATION

Excellent yields of grain sorghums have been obtained on both sandy and heavy soils. The open-pollinated sorghum varieties tend to be more salt tolerant than many of the hybrids. This is particularly true in the late plantings when air temperatures are higher and periods of stress are more frequent.

PLANTING DATES, RATES AND DEPTH

Grain sorghums may be planted from March to July 15. The necessary ingredient for a successful earlier planting is warm weather so that a healthy stand is obtained. Test results have shown yields to be lower in plantings after April 15th with all grain sorghum varieties. Ryer types are especially subject to lower yields when planted after mid-April. The open-pollinated types and some of the hybrids have produced satisfactory yields when planted as late as July 15th.

The Ryer types should be flat-planted with grain drill at approximately 30 to 40 pounds of seed per acre. Row spacings with these varieties should be 7- to 14 inches. All other varieties and hybrids should be planted at about 12 to 18 pounds of seed per acre in double row 40 to 42 inch beds, or flat drilled in 14 to 21 inch rows.

The depth of planting will be dependent upon planting technique.

For types planted early in a moist mulch should be placed to a greater depth (1-2") than the open-pollinated or hybrid types planted on a bed and subbed up (3/4-1").

VARIETIES

There are more than 30 grain sorghum varieties available to the grower in the Imperial Valley. These include both hybrids and open-pollinated types. Many of these sorghums are well-adapted to the Imperial Valley and will produce satisfactory yields. For the latest varietal testing information, consult the Farm Advisor's Office.

FERTILIZATION

Nitrogen is recommended in amounts varying from 80 to 200 pounds of nitrogen per acre. The amount needed varies with soil type and the previous cropping history. Grain sorghum planted after a vegetable crop such as lettuce, may require only 60 to 80 pounds of nitrogen. However, sorghum planted after a heavy stubble crop of cotton, grain sorghum or barley may require as high as 200 pounds of nitrogen. In heavier soils, the fertilizer may be applied preplant or at planting time in one application. In sandy soils, sidedress applications will be necessary.

IRRIGATION

Grain sorghum may be planted in a moist soil, or irrigated up. It should be irrigated often enough to prevent curling of leaves. After the grain has reached the stiff dough stage, no further irrigations are required.

WEED CONTROL

Weed control chemicals are commonly used as either preemergence or post-emergence treatments. For latest information consult Weed Control Recommendations - Imperial County.

INSECT CONTROL.

Several species of insects attack grain sorghum in Imperial County. For latest insect control recommendations contact the Farm Advisor's Office.

UC Cooperative Extension

Prepared by
Imperial County
Agricultural Extension Service
Staff

Revised March 1968

00.01

Co-operative Extension Work in
Agriculture and Home Economics
College of Agriculture, University
of California, and United States
Department of Agriculture co-oper-
ating. Distributed in furtherance
of the Acts of Congress of May 8,
and June 30, 1914. George B.
Alcorn, Director, California Agri-
cultural Extension Service.